

| | | |
|----------------------------------|--|---|
| SPECIFICATION SHEET NO. | T0206- UT336M025HEHTA | |
| ORIGINAL MFG/PART NO. | Aillen Aillen Capacitors/CAE336M1EHUTEE4TRC | |
| NEXTGEN PART CODE | UT336M025HEHTA | Indicate This Code For RFQ /Order |
| DATE | Feb. 06, 2026 | |
| REVISION | A5 | Updated With Most Recent Data |
| DESCRIPTION AND MAIN PARAMETRICS | <p>Aluminum Electrolytic Capacitors (CAE), SMD Type, UT Series, 2 Pads Standard Capacitor and Wide Temperature Range.</p> <p>Capacitance 33μF, Tolerance ±20%, Voltage 25V</p> <p>Case size: Ø6.30*L5.40mm, Leakage Current: 8.25μA Max.</p> <p>Ripple Current (mA r.m.s./@+105°C, 120Hz): 45mA Max.</p> <p>Lifetime @105°C ±2: 2000 Hours Operating Temp. Range -55°C ~+105°C</p> <p>Package in Tape/Reel, 1000pcs/Reel</p> <p>REACH/RoHS Compliant, RoHS Directive2011/65/EU with amendment (EU) 2015/863 & Halogen Free</p> | |
| CUSTOMER | | |
| CUSTOMER PART NO. | | |
| CROSS REF. PART NO. | FN, FKS, MVE, UUT, SKV and SGV | |
| MEMO | | |

| | | |
|-------------------------|---|---|
| VENDOR APPROVE | | |
| Issued/Checked/Approved |  |  |
| | |  |
| Date: Feb. 06, 2026 | | |

| | |
|------------------|--|
| CUSTOMER APPROVE | |
| | |
| Date: | |

MAIN FEATURES

- Aluminum electrolytic capacitors, foil type
- Radial lead, can-type construction for surface mount applications
- Wide operating temperature range
- High reliability and stable electrical characteristics
- Designed to meet the requirements of IEC 60384
- Operating temperature range: -55°C to $+105^{\circ}\text{C}$
- Suitable for high-density mounting
- Rated voltage range: up to 100 V
- Capacitance range: up to 2200 μF
- Endurance: 2000 hours at 105°C
- Suitable as quality alternative parts to major manufacturers including KEMET, CHEMI-CON, NICHICON, RUBYCON, etc.
- Moisture Sensitivity Level: MSL 1 (Unlimited)
- RoHS compliant per Directive 2011/65/EU and amendment (EU) 2015/863
- REACH compliant and halogen-free



Image shown is a representation only. Exact specifications should be obtained from the product dimension.



APPLICATIONS

- High-density surface mount circuits, such as: Power supply circuits/Lighting equipment
- Industrial equipment, including: Routers/Network switches/Measuring/Control instruments
- Consumer electronics, including: Audio amplifier circuits/Smoothing circuits/LED lighting

ELECTRICAL CHARACTERISTICS

- Electrical characteristics for individual part numbers are shown on Page 8 to 15
- Specifications are subject to change without prior notice due to product improvement, safety, or technical considerations. Customers are advised to confirm the latest specifications with NextGen Components prior to use
- All product parameters are subject to final confirmation by NextGen Components.

HOW TO ORDER

- Please Follow Up Part Code Guide And Indicate NextGen Order Part Code UT336M025HEHTA For RFQ/Order.

RFQ

[Request For Quotation](#)

PART CODE GUIDE

| CODE | NAME | KEY SPECIFICATION OPTION |
|------|----------------------------|--|
| UT | Product Index | Aluminum Electrolytic Capacitors(CAE), V-Chip Type, Original MFG Series Number CDUT |
| 336 | Rated Capacitance | 475: 4.7μF; 105: 1.0μF; 106: 10μF; 156: 15μF; 226: 22μF; 276: 27μF; 336: 33μF; 476: 47μF; 566: 56μF; 686: 68μF; 107: 100μF; 157: 150μF; 227: 220μF 337: 330μF; 477: 470μF; 687: 680μF; 108: 1000μF; 158: 1500μF; 228: 2200μF |
| M | Capacitance Tolerance | M: ±20% (Standard) |
| 025 | Rated Voltage | 6V3: 6.3V; 010: 10V; 016:16V; 025: 25V; 035: 35V; 050: 50V; 063: 63V; 080: 80V; 100: 100V |
| H | Environmental Requirements | H: REACH/RoHS Compliant, RoHS Directive2011/65/EU with Amendment (EU) 2015/863 & Halogen Free |
| E | Case Diameter | C: Ø4.0mm; D: Ø5.0mm; E: Ø6.3mm; F: Ø8.0mm; G: Ø10.0mm P: Ø12.5mm |
| H | Case Length | H: L5.4mm; I: L6.5mm; J: L7.7mm; K: L10.2mm; N: L13.5mm |
| T | Package | T: Tape and Reel |
| A | Internal Control Code | Letter A~Z, a~z or digits (0~9) |
| XX | Suffix | Blank: N/A XX: Letter A~Z, a~z or digits (0~9) for Special/Custom Parameters |

DIMENSION (Unit: mm) $\varnothing D4.0 \sim \varnothing D6.3$ Non explosion proof valve; $\varnothing D8.0 \sim \varnothing D12.5$ Explosion proof valve



| $\varnothing D$ | 4.0 | 5.0 | 6.3 | 6.3 | 8.0 | 8.0 | 10.0 | 12.5 |
|-----------------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|
| Case L | 5.4 \pm 0.5 | 5.4 \pm 0.5 | 5.4 \pm 0.5 | 7.7 \pm 0.5 | 6.5 \pm 0.5 | 10.2 \pm 0.5 | 10.2 \pm 0.5 | 13.5 \pm 0.5 |
| A | 4.3 | 5.3 | 6.6 | 6.6 | 8.3 | 8.3 | 10.3 | 13.0 |
| B | 4.3 | 5.3 | 6.6 | 6.6 | 8.3 | 8.3 | 10.3 | 13.0 |
| C | 5.1 | 6.1 | 7.3 | 7.3 | 9.2 | 9.2 | 11.2 | 13.7 |
| P | 1.0 \pm 0.2 | 1.5 \pm 0.2 | 2.1 \pm 0.2 | 2.1 \pm 0.2 | 3.1 \pm 0.2 | 3.1 \pm 0.2 | 4.5 \pm 0.2 | 4.5 \pm 0.2 |
| K | 0.5 Max. | 0.5 Max. | 0.5 Max. | 0.5 Max. | 0.5 Max. | 0.5 Max. | 0.5 Max. | 1.0 Max. |
| W | 0.5~0.9 | 0.5~0.9 | 0.5~0.9 | 0.5~0.9 | 0.8~1.1 | 0.8~1.1 | 0.8~1.1 | 1.1~1.4 |

MARKING GUIDE – For Reference Only



| SYMBOL | NAME | VALUE | MARKING |
|--------|-------------------|------------|---------|
| ① | Rated Capacitance | 33 μ F | 33 |
| ② | Rated Voltage | 25V | 25V |
| ③ | Series Code | | UT |

RECOMMENDED LAND PATTERN (Unit: mm)



| DIAMETER SIZE | X | Y | G |
|--------------------|-----|-----|-----|
| \varnothing 4 | 1.6 | 2.6 | 1.0 |
| \varnothing 5 | 1.6 | 3.0 | 1.4 |
| \varnothing 6.3 | 1.6 | 3.5 | 1.9 |
| \varnothing 8 | 2.5 | 3.5 | 3.0 |
| \varnothing 10 | 2.5 | 4.0 | 4.0 |
| \varnothing 12.5 | 3.2 | 4.0 | 6.0 |

CONSTRUCTION – For Reference Only



| NO. | PARTS | MATERIAL |
|-----|----------------|---|
| 1 | Terminal | Tinned Copper – Clad Steel Wire (Pb Free) |
| 2 | Isolator | Thermo-plastic resin |
| 3 | Aluminum Can | Aluminum |
| 4 | Sealing Rubber | Synthetic rubber |
| 5 | Separator | Manila hemp |
| 6 | Anode Foil | High purity aluminum foil |
| 7 | Cathode Foil | Aluminum foil |

GENERAL ELECTRICAL CHARACTERISTICS – FOR DIFFERENT PART CODE

| PARAMETER | UNITS | VALUE |
|--------------------------------------|-------|------------|
| Operating Junction Temperature Range | °C | -55 ~ +105 |
| Storage Temperature Range | °C | -55 ~ +150 |
| Lifetime @105°C ±2 | Hours | 2000 |

FREQUENCY COEFFICIENT OF ALLOWABLE RIPPLE CURRENT

| Frequency | 50Hz | 120Hz | 300Hz | 1KHz | ≥10KHz |
|-------------|------|-------|-------|------|--------|
| Coefficient | 0.70 | 1.00 | 1.17 | 1.36 | 1.50 |

TEMPERATURE COEFFICIENT

| AMBIENT TEMPERATURE (°C) | 105 | 85 | ≤70 |
|--------------------------|-----|-----|-----|
| Coefficient | 1 | 1.5 | 2 |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|----------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT226M6V3HCHTA | 6.3 | 22 | 30 | 3 | 22 | 4x5.4 |
| UT336M6V3HDHTA | 6.3 | 33 | 30 | 3 | 34 | 5x5.4 |
| UT476M6V3HCHTA | 6.3 | 47 | 30 | 3 | 26 | 4x5.4 |
| UT476M6V3HDHTA | 6.3 | 47 | 30 | 3 | 38 | 5x5.4 |
| UT107M6V3HDHTA | 6.3 | 100 | 30 | 6.3 | 40 | 5x5.4 |
| UT107M6V3HEHTA | 6.3 | 100 | 30 | 6.3 | 69 | 6.3x5.4 |
| UT227M6V3HEHTA | 6.3 | 220 | 30 | 13.86 | 69 | 6.3x5.4 |
| UT227M6V3HEJTA | 6.3 | 220 | 30 | 13.86 | 120 | 6.3x7.7 |
| UT337M6V3HFKTA | 6.3 | 330 | 30 | 20.79 | 290 | 8x10.2 |
| UT337M6V3HEJTA | 6.3 | 330 | 30 | 20.79 | 135 | 6.3x7.7 |
| UT477M6V3HFKTA | 6.3 | 470 | 30 | 29.61 | 320 | 8x10.2 |
| UT158M6V3HGKTA | 6.3 | 1500 | 30 | 94.5 | 450 | 10x10.2 |
| UT108M6V3HGKTA | 6.3 | 1000 | 30 | 63 | 410 | 10x10.2 |
| UT108M6V3HFKTA | 6.3 | 1000 | 30 | 63 | 380 | 8x10.2 |
| UT228M6V3HPNTA | 6.3 | 2200 | 32 | 138.6 | 680 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|----------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT226M010HCHTA | 10 | 22 | 24 | 3 | 21 | 4x5.4 |
| UT336M010HDHTA | 10 | 33 | 24 | 3.3 | 34 | 5x5.4 |
| UT476M010HEHTA | 10 | 47 | 24 | 4.7 | 42 | 6.3x5.4 |
| UT107M010HDHTA | 10 | 100 | 24 | 10 | 50 | 5x5.4 |
| UT107M010HEHTA | 10 | 100 | 24 | 10 | 69 | 6.3x5.4 |
| UT227M010HEHTA | 10 | 220 | 24 | 22 | 80 | 6.3x5.4 |
| UT227M010HFITA | 10 | 220 | 24 | 22 | 120 | 8x6.5 |
| UT227M010HEJTA | 10 | 220 | 24 | 22 | 120 | 6.3x7.7 |
| UT337M010HFKTA | 10 | 330 | 24 | 33 | 260 | 8x10.2 |
| UT337M010HEJTA | 10 | 330 | 24 | 33 | 135 | 6.3x7.7 |
| UT477M010HFKTA | 10 | 470 | 24 | 47 | 320 | 8x10.2 |
| UT687M010HFKTA | 10 | 680 | 24 | 68 | 360 | 8x10.2 |
| UT108M010HGKTA | 10 | 1000 | 24 | 100 | 410 | 10x10.2 |
| UT158M010HPNTA | 10 | 1500 | 24 | 150 | 540 | 12.5x13.5 |
| UT228M010HPNTA | 10 | 2200 | 26 | 220 | 680 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|----------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT106M016HCHTA | 16 | 10 | 20 | 3 | 20 | 4x5.4 |
| UT226M016HCHTA | 16 | 22 | 20 | 3.52 | 21 | 4x5.4 |
| UT226M016HDHTA | 16 | 22 | 20 | 3.52 | 30 | 5x5.4 |
| UT336M016HDHTA | 16 | 33 | 20 | 5.28 | 34 | 5x5.4 |
| UT476M016HDHTA | 16 | 47 | 20 | 7.52 | 38 | 5x5.4 |
| UT476M016HEHTA | 16 | 47 | 20 | 7.52 | 48 | 6.3x5.4 |
| UT107M016HEHTA | 16 | 100 | 20 | 16 | 69 | 6.3x5.4 |
| UT107M016HEJTA | 16 | 100 | 20 | 16 | 85 | 6.3x7.7 |
| UT227M016HEJTA | 16 | 220 | 20 | 35.2 | 120 | 6.3x7.7 |
| UT337M016HFKTA | 16 | 330 | 20 | 52.8 | 290 | 8x10.2 |
| UT477M016HFKTA | 16 | 470 | 20 | 75.2 | 300 | 8x10.2 |
| UT477M016HGKTA | 16 | 470 | 20 | 75.2 | 380 | 10x10.2 |
| UT108M016HGKTA | 16 | 1000 | 20 | 160 | 450 | 10x10.2 |
| UT158M016HPNTA | 16 | 1500 | 20 | 240 | 540 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|--------------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT475M025HCHTA | 25 | 4.7 | 16 | 3 | 17 | 4x5.4 |
| UT106M025HCHTA | 25 | 10 | 16 | 2.5 | 20 | 4x5.4 |
| UT106M025HDHTA | 25 | 10 | 16 | 3 | 25 | 5x5.4 |
| UT226M025HDHTA | 25 | 22 | 16 | 5.5 | 30 | 5x5.4 |
| UT336M025HEHTA | 25 | 33 | 16 | 8.25 | 45 | 6.3x5.4 |
| UT476M025HEHTA | 25 | 47 | 16 | 11.75 | 49 | 6.3x5.4 |
| UT476M025HFITA | 25 | 47 | 18 | 11.75 | 91 | 8x6.5 |
| UT107M025HEJTA | 25 | 100 | 16 | 25 | 100 | 6.3x7.7 |
| UT227M025HFKTA | 25 | 220 | 16 | 55 | 270 | 8x10.2 |
| UT227M025HGKTA | 25 | 220 | 18 | 55 | 330 | 10x10.2 |
| UT337M025HFKTA | 25 | 330 | 16 | 82.5 | 290 | 8x10.2 |
| UT477M025HGKTA | 25 | 470 | 16 | 117.5 | 380 | 10x10.2 |
| UT108M025HPNTA | 25 | 1000 | 16 | 250 | 500 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|----------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT335M035HCHTA | 35 | 3.3 | 14 | 3 | 17 | 4x5.4 |
| UT475M035HCHTA | 35 | 4.7 | 14 | 3 | 18 | 4x5.4 |
| UT106M035HDHTA | 35 | 10 | 14 | 3.5 | 30 | 5x5.4 |
| UT226M035HDHTA | 35 | 22 | 14 | 7.7 | 30 | 5x5.4 |
| UT226M035HEHTA | 35 | 22 | 14 | 7.7 | 44 | 6.3x5.4 |
| UT336M035HEHTA | 35 | 33 | 14 | 11.55 | 45 | 6.3x5.4 |
| UT476M035HEHTA | 35 | 47 | 14 | 16.45 | 54 | 6.3x5.4 |
| UT476M035HEJTA | 35 | 47 | 14 | 16.45 | 80 | 6.3x7.7 |
| UT107M035HEJTA | 35 | 100 | 14 | 35 | 100 | 6.3x7.7 |
| UT107M035HFKTA | 35 | 100 | 14 | 35 | 240 | 8x10.2 |
| UT227M035HFKTA | 35 | 220 | 14 | 77 | 270 | 8x10.2 |
| UT337M035HGKTA | 35 | 330 | 14 | 115.5 | 370 | 10x10.2 |
| UT477M035HGKTA | 35 | 470 | 14 | 164.5 | 380 | 10x10.2 |
| UT687M035HPNTA | 35 | 680 | 14 | 238 | 540 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELECTRICAL CHARACTERISTICS - Ta = 25°C, FOR DIFFERENT PART CODE

| NEXTGEN ORDER PART CODE | RATE VOL. | CAPACITOR VALUE | MAX.DF @20°C, 120HZ | MAX. LEAKAGE CURRENT | MAX. RIPPLE CURRENT @ 105°C 120HZ | CASE SIZE ØD X L |
|----------------------------|--------------|--------------------|---------------------------|----------------------------|--|---------------------|
| | V | µF | % | µA | mA r.m.s | mm |
| UT105M050HCHTA | 50 | 1 | 14 | 3 | 8 | 4x5.4 |
| UT225M050HCHTA | 50 | 2.2 | 14 | 3 | 12 | 4x5.4 |
| UT335M050HCHTA | 50 | 3.3 | 14 | 3 | 14 | 4x5.4 |
| UT475M050HDHTA | 50 | 4.7 | 14 | 3 | 20 | 5x5.4 |
| UT106M050HDHTA | 50 | 10 | 14 | 5 | 23 | 5x5.4 |
| UT106M050HEHTA | 50 | 10 | 14 | 5 | 32 | 6.3x5.4 |
| UT226M050HEHTA | 50 | 22 | 14 | 11 | 43 | 6.3x5.4 |
| UT226M050HEJTA | 50 | 22 | 14 | 11 | 52 | 6.3x7.7 |
| UT226M050HFITA | 50 | 22 | 14 | 11 | 70 | 8x6.5 |
| UT336M050HEJTA | 50 | 33 | 14 | 16.5 | 65 | 6.3x7.7 |
| UT336M050HFITA | 50 | 33 | 14 | 16.5 | 70 | 8x6.5 |
| UT336M050HFKTA | 50 | 33 | 14 | 16.5 | 140 | 8x10.2 |
| UT476M050HEJTA | 50 | 47 | 14 | 23.5 | 70 | 6.3x7.7 |
| UT476M050HFKTA | 50 | 47 | 14 | 23.5 | 150 | 8x10.2 |
| UT107M050HFKTA | 50 | 100 | 14 | 50 | 210 | 8x10.2 |
| UT227M050HGKTA | 50 | 220 | 14 | 110 | 330 | 10x10.2 |
| UT337M050HPNTA | 50 | 330 | 14 | 165 | 490 | 12.5x13.5 |
| UT477M050HPNTA | 50 | 470 | 14 | 235 | 520 | 12.5x13.5 |
| | | | | | | |
| | | | | | | |

CHARACTERISTICS

Standard Atmospheric Conditions

The standard range of atmospheric conditions for making measurements/test as follows:

- Ambient temperature: 15 °C to 35 °C
- Relative humidity: 45% to 85%
- Air Pressure: 86kPa to 106kPa
- If there is any doubt about the results, measurement shall be made within the following conditions:
- Ambient temperature: 20 °C \pm 2 °C
- Relative humidity: 60% to 70%
- Air Pressure: 86kPa to 106kPa
- As to the detailed information, please refer to following Table


Operating Temperature Range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is

-55 °C to 105 °C.

As to the detailed information, please refer to the mentioned table next pages.

| ITEM | PERFORMANCE | | | | | | | | | | | | | | | | | | |
|--|---|----------------|------|------|------|------|------|------|----|-----|-----------------|------|------|------|------|------|------|------|------|
| Nominal Capacitance (Tolerance) | <p><Condition></p> <p>Measuring Frequency : 120Hz ± 12Hz</p> <p>Measuring Voltage : Not more than 0.5V</p> <p>Measuring Temperature : 20 ± 2°C</p> <p><Criteria></p> <p>Shall be within the specified capacitance tolerance</p> | | | | | | | | | | | | | | | | | | |
| Leakage Current | <p><Condition></p> <p>After DC Voltage is applied to capacitors through the series protective resistor (1kΩ ± 10Ω) so that terminal voltage may reach the reacted use voltage. The leakage current when measured in 2 minutes shall not exceed the values of the following equation.</p> <p><Criteria></p> <p>$I (\mu A) \leq 0.01 CV$ or $3 (\mu A)$, Whichever is greater</p> <p>I: Leakage Current (μA)</p> <p>C: Capacitance (μF)</p> <p>V: Rated Working Voltage (V)</p> | | | | | | | | | | | | | | | | | | |
| tan δ | <p><Condition></p> <p>See Normal Capacitance, for measuring frequency, voltage and temperature.</p> <p><Criteria></p> <p>The tangent of the loss angle (tan δ) of the capacitors shall refer to the following table. Measurements shall be made under the same conditions as those given for the measurement of the capacitance.</p> <table border="1" data-bbox="419 1425 1276 1531"> <tr> <td>W.V.</td> <td>6.3</td> <td>10</td> <td>16</td> <td>25</td> <td>35</td> <td>50</td> <td>63</td> <td>100</td> </tr> <tr> <td>Tanδ</td> <td>0.30</td> <td>0.24</td> <td>0.20</td> <td>0.16</td> <td>0.14</td> <td>0.14</td> <td>0.10</td> <td>0.10</td> </tr> </table> <p>Remark: Refer to this document for tan δ of other voltages.</p> <p>For capacitance value > 1000μF, add 0.02 per another 1000uF on the basis of standard Tanδ.</p> | W.V. | 6.3 | 10 | 16 | 25 | 35 | 50 | 63 | 100 | Tanδ | 0.30 | 0.24 | 0.20 | 0.16 | 0.14 | 0.14 | 0.10 | 0.10 |
| W.V. | 6.3 | 10 | 16 | 25 | 35 | 50 | 63 | 100 | | | | | | | | | | | |
| Tanδ | 0.30 | 0.24 | 0.20 | 0.16 | 0.14 | 0.14 | 0.10 | 0.10 | | | | | | | | | | | |
| Rated voltage (WV) Surge voltage (SV) | <table border="1" data-bbox="419 1736 1276 1908"> <tr> <td>W.V. (V.DC)</td> <td>6.3</td> <td>10</td> <td>16</td> <td>25</td> <td>35</td> <td>50</td> <td>63</td> <td>100</td> </tr> <tr> <td>S.V. (V.DC.)</td> <td>7.2</td> <td>11.5</td> <td>18.4</td> <td>28.8</td> <td>40.2</td> <td>57.5</td> <td>72.5</td> <td>115</td> </tr> </table> | W.V. (V.DC) | 6.3 | 10 | 16 | 25 | 35 | 50 | 63 | 100 | S.V. (V.DC.) | 7.2 | 11.5 | 18.4 | 28.8 | 40.2 | 57.5 | 72.5 | 115 |
| W.V. (V.DC) | 6.3 | 10 | 16 | 25 | 35 | 50 | 63 | 100 | | | | | | | | | | | |
| S.V. (V.DC.) | 7.2 | 11.5 | 18.4 | 28.8 | 40.2 | 57.5 | 72.5 | 115 | | | | | | | | | | | |

| ITEM | PERFORMANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-----------------------------------|-------------------------|------|----------|------|-----------------------------------|---|-------------|-----------------------------------|---|------|-----------------------------------|----|-------|-----------------------------------|---|------|-----------------------------------|-------------------|-----|----|----|----|----------|-----|------------------------------|------|---|---|---|---|---|-----|---|---|---|---|---|------------------------------|------|----|---|---|---|---|-----|---|---|---|---|---|
| <p>Temperature Characteristic IEC-60384-4 4.12</p> | <p><Condition></p> <table border="1" data-bbox="402 383 1299 687"> <thead> <tr> <th>Step.</th> <th>Testing Temperature(°C)</th> <th>Time</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>20±2</td> <td>Time to reach thermal equilibrium</td> </tr> <tr> <td>2</td> <td>-55(-25) ±3</td> <td>Time to reach thermal equilibrium</td> </tr> <tr> <td>3</td> <td>20±2</td> <td>Time to reach thermal equilibrium</td> </tr> <tr> <td>4.</td> <td>105±2</td> <td>Time to reach thermal equilibrium</td> </tr> <tr> <td>5</td> <td>20±2</td> <td>Time to reach thermal equilibrium</td> </tr> </tbody> </table> <p><Criteria></p> <p>a) At +105°C, capacitance shall be within ±20% of their origin at +20°C, measured capacitance, tan δ shall be within limit of tan δ. The leakage current value at +105°C shall not more than 8 times the specified value.</p> <p>b) At step 5, tan δ shall be within the limit of tan δ. The leakage current value shall not more than the specified value.</p> <p>c) At -55°C (-25°C), impedance (Z) ratio shall not exceed the value of the following table.</p> <table border="1" data-bbox="442 1089 1299 1375"> <thead> <tr> <th>Rated Voltage (V)</th> <th>6.3</th> <th>10</th> <th>16</th> <th>25</th> <th>35/50/63</th> <th>100</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Z-25°C/ Z+20°C (120Hz)</td> <td>< Φ8</td> <td>4</td> <td>3</td> <td>2</td> <td>2</td> <td>2</td> </tr> <tr> <td>≥Φ8</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> <td>2</td> </tr> <tr> <td rowspan="2">Z-55°C/ Z+20°C (120Hz)</td> <td>< Φ8</td> <td>12</td> <td>8</td> <td>4</td> <td>4</td> <td>3</td> </tr> <tr> <td>≥Φ8</td> <td>8</td> <td>8</td> <td>6</td> <td>4</td> <td>3</td> </tr> </tbody> </table> <p>d) Capacitance tan δ and impedance shall be measured at 120Hz</p> | Step. | Testing Temperature(°C) | Time | 1 | 20±2 | Time to reach thermal equilibrium | 2 | -55(-25) ±3 | Time to reach thermal equilibrium | 3 | 20±2 | Time to reach thermal equilibrium | 4. | 105±2 | Time to reach thermal equilibrium | 5 | 20±2 | Time to reach thermal equilibrium | Rated Voltage (V) | 6.3 | 10 | 16 | 25 | 35/50/63 | 100 | Z-25°C/ Z+20°C (120Hz) | < Φ8 | 4 | 3 | 2 | 2 | 2 | ≥Φ8 | 5 | 4 | 3 | 2 | 2 | Z-55°C/ Z+20°C (120Hz) | < Φ8 | 12 | 8 | 4 | 4 | 3 | ≥Φ8 | 8 | 8 | 6 | 4 | 3 |
| Step. | Testing Temperature(°C) | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 20±2 | Time to reach thermal equilibrium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | -55(-25) ±3 | Time to reach thermal equilibrium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 20±2 | Time to reach thermal equilibrium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. | 105±2 | Time to reach thermal equilibrium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 20±2 | Time to reach thermal equilibrium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rated Voltage (V) | 6.3 | 10 | 16 | 25 | 35/50/63 | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Z-25°C/ Z+20°C (120Hz) | < Φ8 | 4 | 3 | 2 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ≥Φ8 | 5 | 4 | 3 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Z-55°C/ Z+20°C (120Hz) | < Φ8 | 12 | 8 | 4 | 4 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ≥Φ8 | 8 | 8 | 6 | 4 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Sealing Tape Reel Strength</p> | <p><Condition></p> <p>Peel angle: 165 to 180°C referred to the surface on which the tape is glued.</p> <p>Peel speed: 300mm per minutes</p> <p>The peel strength must be 0.1 ~ 0.7N under these conditions.</p>  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| ITEM | PERFORMANCE | | | | | | | | | | |
|--|--|--------------------|----------------------------------|-------|-------------------------------------|-----------------|---|------------|---|--------------------|---|
| <p>Load Life Test IEC-60384- 4 4.13</p> | <p><Condition> The capacitor is stored at a temperature of 105° C ±2 with rated voltage applied continuously for 2000+48/0 hours, Then the product should be tested after 16 hours recovering time at atmospheric conditions. The result should meet the following table: <Criteria> The characteristic shall meet the following requirements.</p> <table border="1" data-bbox="401 623 1278 909"> <tr> <td>Capacitance Change</td> <td>± 30% of initial measured value.</td> </tr> <tr> <td>tan δ</td> <td>200% or less of the specified value</td> </tr> <tr> <td>Leakage current</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>No leakage of electrolyte or swelling of the case. All markings shall be legible</td> </tr> <tr> <td>Inner construction</td> <td>No corrosion of tab terminals or electrodes</td> </tr> </table> <p>Remarks: Prior to the measurement of the leakage current, the D.C. rated voltage shall be applied across the capacitor and its protective resistance (1kΩ) for 30 mines after which it shall be discharged.</p> | Capacitance Change | ± 30% of initial measured value. | tan δ | 200% or less of the specified value | Leakage current | Not more than the specified value. | Appearance | No leakage of electrolyte or swelling of the case. All markings shall be legible | Inner construction | No corrosion of tab terminals or electrodes |
| Capacitance Change | ± 30% of initial measured value. | | | | | | | | | | |
| tan δ | 200% or less of the specified value | | | | | | | | | | |
| Leakage current | Not more than the specified value. | | | | | | | | | | |
| Appearance | No leakage of electrolyte or swelling of the case. All markings shall be legible | | | | | | | | | | |
| Inner construction | No corrosion of tab terminals or electrodes | | | | | | | | | | |
| <p>Shelf Life Test IEC-60384- 4 4.17</p> | <p><Condition> The capacitors are then stored with no voltage applied at a temperature of 105 ±2°C for 1000+48/0 hours. Following this period the capacitors shall be removed from the test chamber and be allowed to stabilized at room temperature for 4~8 hours. Next they shall be connected to a series limiting resistor(1k±100Ω) with D.C. rated voltage applied for 30min. After which the capacitors shall be discharged, and then, tested the characteristics. <Criteria> The characteristic shall meet the following requirements.</p> <table border="1" data-bbox="401 1514 1278 1800"> <tr> <td>Capacitance Change</td> <td>± 30% of initial measured value.</td> </tr> <tr> <td>tan δ</td> <td>200% or less of the specified value</td> </tr> <tr> <td>Leakage current</td> <td>Not more than 200% of the specified value</td> </tr> <tr> <td>Appearance</td> <td>No leakage of electrolyte or swelling of the case. All markings shall be legible</td> </tr> <tr> <td>Inner construction</td> <td>No corrosion of tab terminals or electrodes</td> </tr> </table> <p>Remark: If the capacitors are stored more than 1 year, the leakage current may increase. Please apply voltage through about 1 KΩ resistor, if necessary.</p> | Capacitance Change | ± 30% of initial measured value. | tan δ | 200% or less of the specified value | Leakage current | Not more than 200% of the specified value | Appearance | No leakage of electrolyte or swelling of the case. All markings shall be legible | Inner construction | No corrosion of tab terminals or electrodes |
| Capacitance Change | ± 30% of initial measured value. | | | | | | | | | | |
| tan δ | 200% or less of the specified value | | | | | | | | | | |
| Leakage current | Not more than 200% of the specified value | | | | | | | | | | |
| Appearance | No leakage of electrolyte or swelling of the case. All markings shall be legible | | | | | | | | | | |
| Inner construction | No corrosion of tab terminals or electrodes | | | | | | | | | | |

| ITEM | PERFORMANCE | | | | | | | | |
|--|---|-----------------|-----------------------------------|--------------------|-------------------------------------|-------|------------------------------------|------------|---|
| <p>Surge Test IEC-60384- 4 4.9</p> | <p><Condition> Test temperature:15~35°C Series resistor: $R = \frac{100 \pm 50}{C}$ R: protective resistor (KΩ) C: nominal capacitance (μF) Test voltage: Surge voltage item 4.4 No. of cycles: 1000cycles Each cycles lasts for 6 ± 0.5min "ON" for 30 ± 5 s "OFF" for 5 ± 0.5min.</p> <table border="1" data-bbox="402 665 1285 870"> <tr> <td>Leakage current</td> <td>Not more than the specified value</td> </tr> <tr> <td>Capacitance Change</td> <td>Within $\pm 15\%$ of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>There shall be no leakage of electrolyte.</td> </tr> </table> <p>Attention: This test simulates over voltage at abnormal situation and not be hypothesizing that over voltage is always applied.</p> | Leakage current | Not more than the specified value | Capacitance Change | Within $\pm 15\%$ of initial value. | tan δ | Not more than the specified value. | Appearance | There shall be no leakage of electrolyte. |
| Leakage current | Not more than the specified value | | | | | | | | |
| Capacitance Change | Within $\pm 15\%$ of initial value. | | | | | | | | |
| tan δ | Not more than the specified value. | | | | | | | | |
| Appearance | There shall be no leakage of electrolyte. | | | | | | | | |
| <p>Vibration Test IEC-60384- 4 4.8</p> | <p><Condition> Fix it at the point 4 mm or less from body. For ones of 12.5 mm or more in diameter or 25 mm or Capacitance; Direction and during of vibration:3 orthogonal directions mutually each for 2 hours(total of 6 hours) Vibration frequency range : 10Hz ~ 55Hz Peak to peak amplitude : 1.5mm Sweep rate : 10Hz ~ 55Hz ~ 10Hz in about 1 minute <Criteria> The characteristic shall meet the following requirements.</p> <table border="1" data-bbox="402 1524 1285 1730"> <tr> <td>Leakage current</td> <td>Not more than the specified value</td> </tr> <tr> <td>Capacitance Change</td> <td>Within $\pm 10\%$ of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>There shall be no leakage of electrolyte.</td> </tr> </table> | Leakage current | Not more than the specified value | Capacitance Change | Within $\pm 10\%$ of initial value. | tan δ | Not more than the specified value. | Appearance | There shall be no leakage of electrolyte. |
| Leakage current | Not more than the specified value | | | | | | | | |
| Capacitance Change | Within $\pm 10\%$ of initial value. | | | | | | | | |
| tan δ | Not more than the specified value. | | | | | | | | |
| Appearance | There shall be no leakage of electrolyte. | | | | | | | | |

| ITEM | PERFORMANCE | | | | | | | | |
|---|---|-----------------|--|--------------------|--------------------------------|-------|---|------------|---|
| <p>Solderability Test IEC-60384-4 4.6</p> | <p><Condition> The capacitor shall be tested under the following conditions: Soldering temperature: 245°C ± 3°C Dipping depth: 2mm Dipping speed: 25 ± 2.5mm/s Dipping time: 3 ± 0.5s <Criteria></p> <table border="1" data-bbox="395 671 1253 754"> <tr> <td>Coating quality</td> <td>A minimum of 95% of the surface being immersed</td> </tr> </table> | Coating quality | A minimum of 95% of the surface being immersed | | | | | | |
| Coating quality | A minimum of 95% of the surface being immersed | | | | | | | | |
| <p>Resistance to solder heat test</p> | <p><Condition> After reflow soldering The capacitor shall be left at room temperature for before measurement. <Criteria> The characteristic shall meet the following requirements.</p> <table border="1" data-bbox="395 1073 1253 1276"> <tr> <td>Leakage current</td> <td>Not more than the specified value</td> </tr> <tr> <td>Capacitance Change</td> <td>Within ± 10% of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>There shall be no leakage of electrolyte.</td> </tr> </table> | Leakage current | Not more than the specified value | Capacitance Change | Within ± 10% of initial value. | tan δ | Not more than the specified value. | Appearance | There shall be no leakage of electrolyte. |
| Leakage current | Not more than the specified value | | | | | | | | |
| Capacitance Change | Within ± 10% of initial value. | | | | | | | | |
| tan δ | Not more than the specified value. | | | | | | | | |
| Appearance | There shall be no leakage of electrolyte. | | | | | | | | |
| <p>Damp heat test IEC60384-4 4.12</p> | <p><Condition> Humidity Test: According to IEC60384-4 No.4.12 methods, capacitor shall be exposed for 1000±8 hours in an atmosphere of 90~95%R H .at 60±3°C, the characteristic change shall meet the following requirement. <Criteria></p> <table border="1" data-bbox="395 1657 1253 1860"> <tr> <td>Leakage current</td> <td>Not more than the specified value</td> </tr> <tr> <td>Capacitance Change</td> <td>Within ± 20% of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than 120% of the specified value</td> </tr> <tr> <td>Appearance</td> <td>There shall be no leakage of electrolyte.</td> </tr> </table> | Leakage current | Not more than the specified value | Capacitance Change | Within ± 20% of initial value. | tan δ | Not more than 120% of the specified value | Appearance | There shall be no leakage of electrolyte. |
| Leakage current | Not more than the specified value | | | | | | | | |
| Capacitance Change | Within ± 20% of initial value. | | | | | | | | |
| tan δ | Not more than 120% of the specified value | | | | | | | | |
| Appearance | There shall be no leakage of electrolyte. | | | | | | | | |

| ITEM | PERFORMANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-----------------|-----------------------------------|--------------------|--------------------------------|-------|------------------------------------|------------|-------------------------|----------------|---|-------|------------|---|--------|----------------|---|-------|------------|----------------------------------|--|--|--------------------|--------------------------------|-------|------------------------------------|-----------------|------------------------------------|------------|--------------------------|
| <p>Change Of Temperature Test IEC-60384-4 4.7</p> | <p><Condition> Temperature cycle: According to IEC60384-4 No.4.7 methods, capacitor shall be placed in an oven, the condition according as below</p> <table border="1" data-bbox="402 480 1306 839"> <thead> <tr> <th>No.</th> <th>Temperature</th> <th>Time</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>+25°C</td> <td>≤3 Minutes</td> </tr> <tr> <td>2</td> <td>-55°C</td> <td>30 ± 2 Minutes</td> </tr> <tr> <td>3</td> <td>+25°C</td> <td>≤3 Minutes</td> </tr> <tr> <td>4</td> <td>+105°C</td> <td>30 ± 2 Minutes</td> </tr> <tr> <td>5</td> <td>+25°C</td> <td>≤3 Minutes</td> </tr> <tr> <td colspan="3" style="text-align: center;">1 to 5 = 1 cycle, Total 5 cycles</td> </tr> </tbody> </table> <p>and then the capacitor shall be subjected to standard atmospheric conditions for 4 hours, after which measurements shall be made.</p> <p><Criteria> The characteristic shall meet the following requirements.</p> <table border="1" data-bbox="402 1052 1300 1290"> <tbody> <tr> <td>Capacitance Change</td> <td>Within ± 10% of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Leakage current</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>No broken and undamaged.</td> </tr> </tbody> </table> | No. | Temperature | Time | 1 | +25°C | ≤3 Minutes | 2 | -55°C | 30 ± 2 Minutes | 3 | +25°C | ≤3 Minutes | 4 | +105°C | 30 ± 2 Minutes | 5 | +25°C | ≤3 Minutes | 1 to 5 = 1 cycle, Total 5 cycles | | | Capacitance Change | Within ± 10% of initial value. | tan δ | Not more than the specified value. | Leakage current | Not more than the specified value. | Appearance | No broken and undamaged. |
| No. | Temperature | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | +25°C | ≤3 Minutes | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | -55°C | 30 ± 2 Minutes | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | +25°C | ≤3 Minutes | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | +105°C | 30 ± 2 Minutes | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | +25°C | ≤3 Minutes | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 to 5 = 1 cycle, Total 5 cycles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capacitance Change | Within ± 10% of initial value. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| tan δ | Not more than the specified value. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Leakage current | Not more than the specified value. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Appearance | No broken and undamaged. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Low Temperature Test</p> | <p><Condition> Capacitors are placed at -55 ± 3°C for 96 ± 4 hours. And then the capacitor shall be subjected to standard atmospheric conditions for 4 hours, after which measurements shall be made.</p> <p><Criteria></p> <table border="1" data-bbox="402 1587 1282 1825"> <tbody> <tr> <td>Leakage current</td> <td>Not more than the specified value</td> </tr> <tr> <td>Capacitance Change</td> <td>Within ± 10% of initial value.</td> </tr> <tr> <td>tan δ</td> <td>Not more than the specified value.</td> </tr> <tr> <td>Appearance</td> <td>No broken and undamaged</td> </tr> </tbody> </table> | Leakage current | Not more than the specified value | Capacitance Change | Within ± 10% of initial value. | tan δ | Not more than the specified value. | Appearance | No broken and undamaged | | | | | | | | | | | | | | | | | | | | | |
| Leakage current | Not more than the specified value | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capacitance Change | Within ± 10% of initial value. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| tan δ | Not more than the specified value. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Appearance | No broken and undamaged | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| ITEM | PERFORMANCE | | | | |
|--|--|---------------|----------------|--------------|---|
| <p>Vent Test IEC-60384-4 4.16</p> | <p><Condition></p> <p>The following test only apply to those products with vent products at diameter $\geq \varnothing 8$ with vent.</p> <p>D.C. test</p> <p>The capacitor is connected with its polarity reversed to a DC power source. Then a current selected from following table is applied.</p> <table border="1" data-bbox="454 634 1168 737"> <thead> <tr> <th>Diameter (mm)</th> <th>DC Current (A)</th> </tr> </thead> <tbody> <tr> <td>22.4 or less</td> <td>1</td> </tr> </tbody> </table> <p><Criteria></p> <p>No emission of gas after 30 minutes of the voltage application also meets the specification. The vent shall operate with no dangerous conditions such as flames or dispersion of pieces of the capacitor and/or case.</p> | Diameter (mm) | DC Current (A) | 22.4 or less | 1 |
| Diameter (mm) | DC Current (A) | | | | |
| 22.4 or less | 1 | | | | |
| <p>Mechanical Characteristics Test</p> | <p><Condition></p> <p>Bending Test: Apply pressure in the direction of the arrow at a rate of about 0.5 mm/s until bent width reaches 2 mm and hold for 60s. The board shall be the test board "B" as specified in JIS C 0051: 2002. If the land area differs, it shall be specified clearly in the next item.</p>  <p><Criteria></p> <p>Without mechanical damage such as breaks. Electrical characteristics shall be satisfied.</p> <p>If there are electrodes on both surfaces, above requirements shall be satisfied on whichever surface it may be fixated on.</p> | | | | |

| ITEM | PERFORMANCE | | | |
|--|--------------------|------------------|----------------|----------------------|
| Reflow Soldering Temperature Profile | Welding Method | Reflow Soldering | Soldering Iron | Wave Soldering |
| | The feasibility of | ○ Feasible | ○ Feasible | ⊗ Is not workable |
| Conditions for the use of lead-free reflow soldering. | | | | |
|  <p>The graph shows a temperature profile for reflow soldering. The y-axis is Temperature (°C) with points T1, T2, T3, and T4. The x-axis is Time (sec) with intervals t1, t2, and t3. The profile starts at a low temperature, rises to T1, then to T2, then to T3, and finally to a peak at T4. The time intervals are: t1 is the time from T1 to T2; t2 is the time from T3 to T4; t3 is the time from T3 to the peak at T4.</p> | | | | |
| <p>1) Methods the following Reflow soldering: please follow the temperature condition during welding. If high temperature is used, please measure and inform the capacitor temperature and reflow soldering condition. The product size is larger and its rising temperature is slower. It is not necessary to adjust the temperature of the reflow solder in accordance with the size of the product. For example, the products of 4 and 10 will be installed in the PCB over tin furnace.</p> <p>2) Precautions for soldering tin: Related factors of reflow soldering temperature: Product size: The product size is larger and its temperature rises slowly. Product installation position: The temperature of PCB center is lower than that of PCB</p> <p>3) Reflow soldering If possible, avoid reflow soldering twice. If repeated reflux is unavoidable, measure and inform the first and second reflux temperature, and the time of reflow soldering</p> <p>4) Please do not 3 times of reflow soldering Please follow the following conditions when soldering tin soldering: Soldering iron maximum temperature: $350 \pm 5^{\circ}\text{C}$; Welding time: 3+1/-0S</p> | | | | |

| ITEM | PERFORMANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|-------------------------------------|-------|-------------------------------------|-----|-----|-----|--|--|-------------|------|-----|-------|------|--|--|--|--------------|--------|--------|-------|--------|--|--|--|------------|---|---------|--|--|--|--|--|-------------------------------|-----|--|--|--|--|--|---------------------|---------------------------|-----|-----|-----|-----|-----|-----|-------------------------------|----|----|----|----|----|----|-------------------------|---------------------------|-----|-----|-----|-----|--|--|-------------------------------|---|--|--|--|--|--|-------------------|-----|--|--|--|--|--|--|
| Reflow Soldering Temperature Profile | <p>Test Method And Peak Temperature Permissible Range</p> <table border="1" data-bbox="401 395 1278 741"> <thead> <tr> <th colspan="2" data-bbox="401 395 762 426">Products category</th> <th colspan="6" data-bbox="762 395 1278 426">SMD aluminum electrolytic capacitor</th> </tr> </thead> <tbody> <tr> <td data-bbox="401 426 762 457">voltage (V)</td> <td data-bbox="762 426 915 457">4~50</td> <td data-bbox="915 426 1025 457">≥63</td> <td data-bbox="1025 426 1178 457">4~100</td> <td data-bbox="1178 426 1278 457">≥160</td> <td colspan="3"></td> </tr> <tr> <td data-bbox="401 457 762 488">Product size</td> <td data-bbox="762 457 915 488">Φ4~6.3</td> <td data-bbox="915 457 1025 488">Φ4~6.3</td> <td data-bbox="1025 457 1178 488">Φ8~18</td> <td data-bbox="1178 457 1278 488">≥Φ12.5</td> <td colspan="3"></td> </tr> <tr> <td data-bbox="401 488 544 520" rowspan="2">Preheating</td> <td data-bbox="544 488 762 520">TEM (T₁~T₂, °C)</td> <td colspan="6" data-bbox="762 488 1278 520">150~180</td> </tr> <tr> <td data-bbox="544 520 762 551">Time (t₁) Max, S</td> <td colspan="6" data-bbox="762 520 1278 551">180</td> </tr> <tr> <td data-bbox="401 551 544 582" rowspan="2">The duration of the</td> <td data-bbox="544 551 762 582">TEM (T₃, °C)</td> <td data-bbox="762 551 858 582">217</td> <td data-bbox="858 551 953 582">230</td> <td data-bbox="953 551 1049 582">217</td> <td data-bbox="1049 551 1145 582">217</td> <td data-bbox="1145 551 1240 582">230</td> <td data-bbox="1240 551 1278 582">217</td> </tr> <tr> <td data-bbox="544 582 762 613">Time (t₂) Max, S</td> <td data-bbox="762 582 858 613">90</td> <td data-bbox="858 582 953 613">60</td> <td data-bbox="953 582 1049 613">60</td> <td data-bbox="1049 582 1145 613">60</td> <td data-bbox="1145 582 1240 613">40</td> <td data-bbox="1240 582 1278 613">60</td> </tr> <tr> <td data-bbox="401 613 544 644" rowspan="2">The highest temperature</td> <td data-bbox="544 613 762 644">TEM (T₄, °C)</td> <td data-bbox="762 613 915 644">260</td> <td data-bbox="915 613 1025 644">250</td> <td data-bbox="1025 613 1178 644">250</td> <td data-bbox="1178 613 1278 644">240</td> <td colspan="2"></td> </tr> <tr> <td data-bbox="544 644 762 675">Time (t₃) Max, S</td> <td colspan="6" data-bbox="762 644 1278 675">5</td> </tr> <tr> <td data-bbox="401 675 762 706">Return the number</td> <td colspan="7" data-bbox="762 675 1278 706">≤ 2</td> </tr> </tbody> </table> <ul data-bbox="391 810 1299 982" style="list-style-type: none"> • Please contact us if the conditions of use are higher than those listed above. • When performing second reflow soldering, please make sure the temperature of capacitor has cooled to 5 ~ 35 °C. • If the reflow condition is based on IPC/JEDEC(J-STD-020), please contact us. <p>OP-CAP Precautions:</p> <ul data-bbox="391 1094 1320 1649" style="list-style-type: none"> • Reflow soldering will reduce the rated electrostatic capacity of the product, and it should be confirmed whether reflow soldering condition meets the specification of recommended reflow soldering. • Although the actual reflow condition change is still based on the reflow soldering method, please note that the highest temperature and the electrode terminal at the bottom of the aluminum shell must not exceed the maximum temperature. • OP-CAP products during the process of reflow heating temperature should increase to more than 200 °C • If the reflow condition temperature or duration is greater than the above table, the OP-CAP product will be damaged. The electrostatic capacity of the product is reduced by about 50%, the leakage current is large (up to mA), and the outside of the capacitor is damaged. <p>Recommended Land Size (see page 5)</p> | Products category | | SMD aluminum electrolytic capacitor | | | | | | voltage (V) | 4~50 | ≥63 | 4~100 | ≥160 | | | | Product size | Φ4~6.3 | Φ4~6.3 | Φ8~18 | ≥Φ12.5 | | | | Preheating | TEM (T ₁ ~T ₂ , °C) | 150~180 | | | | | | Time (t ₁) Max, S | 180 | | | | | | The duration of the | TEM (T ₃ , °C) | 217 | 230 | 217 | 217 | 230 | 217 | Time (t ₂) Max, S | 90 | 60 | 60 | 60 | 40 | 60 | The highest temperature | TEM (T ₄ , °C) | 260 | 250 | 250 | 240 | | | Time (t ₃) Max, S | 5 | | | | | | Return the number | ≤ 2 | | | | | | |
| Products category | | SMD aluminum electrolytic capacitor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| voltage (V) | 4~50 | ≥63 | 4~100 | ≥160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product size | Φ4~6.3 | Φ4~6.3 | Φ8~18 | ≥Φ12.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preheating | TEM (T ₁ ~T ₂ , °C) | 150~180 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Time (t ₁) Max, S | 180 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The duration of the | TEM (T ₃ , °C) | 217 | 230 | 217 | 217 | 230 | 217 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Time (t ₂) Max, S | 90 | 60 | 60 | 60 | 40 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The highest temperature | TEM (T ₄ , °C) | 260 | 250 | 250 | 240 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Time (t ₃) Max, S | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Return the number | ≤ 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

APPLICATION GUIDELINE

CIRCUIT DESIGN

1) Please make sure the environmental and mounting conditions to which the capacitor will be exposed are within the conditions specified in catalogue.

2) Operating temperature and applied ripple shall be within specification.

3) Appropriate capacitors which comply with the life requirement of the products should be selected when designing the circuit.

4) Aluminum electrolytic capacitors are polar. Make sure that no reverse voltage or AC voltage is applied to the capacitors. Please use bi-polar capacitors for a circuit that can possibly see reversed polarity.

Note: Even bi-polar capacitors cannot be used for AC voltage application.

5) Do not use aluminum electrolytic capacitors in a circuit that requires rapid and very frequent charge/ discharge. In this type of circuit, it is necessary to use a special design capacitor with extended life characteristics.

6) Do not apply excess voltage.

(1) Please pay attention to that the peak voltage, which is DC voltage overlapped by ripple current, will not exceed the rated voltage.

(2) In the case where more than 2 aluminum electrolytic capacitors are used in series, please make sure that applied voltage will be lower than rated voltage and the voltage will be applied to each capacitor equally by using a balancing resistor in parallel with the capacitor.

7) Aluminum electrolytic capacitors shall not be used under the following environmental conditions:

(1) (a) Capacitors will be exposed to water (including condensation), brine or oil. (b) Ambient conditions that include toxic gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, bromine, methyl bromide, ammonium, etc. (c) Ambient conditions that expose the capacitor to ozone, ultraviolet ray and radiation.

(2) Severe vibration and physical shock conditions that exceed specification.

Vibration test condition: 10-55-10Hz

Vibration frequency range : 10~55~10hz

Sweep rate : 10~55~10Hz/minute

Sweep method : logarithmic

Amplitude or acceleration : 1.5mm (max. Acceleration is 10G)

Direction of vibration : X, Y, Z direction

Testing time: 2 hours per each direction

Shock is not applicable normally.

If a particular condition is required, please contact our sales team.

8) The main chemical solution of the electrolyte and the separator paper used in the capacitors are combustible.

The electrolyte is conductive. When it comes in contact with the PC board, there is a possibility of pattern corrosion or short circuit between the circuit pattern, which could result in smoking or catching fire. Do not locate any circuit pattern beneath the capacitor end seal.

9) Do not design a circuit board that the heat generating components are placed near the aluminum electrolytic capacitor or on the reverse side of PC board, if that just under the capacitor.

10) Electrical characteristics may vary depending on changes in temperature and frequency. Please consider this variation when you design circuits.

11) When you install more than 2 capacitors in parallel, please consider the balance of current flowing into the capacitors.

12) While mounting capacitors on double-side PC board, the capacitors should be away from those unnecessary base plate holes and connection holes.

MOUNTING

1) Once a capacitor has been assembled in the set and power applied, do not attempt to re-use the capacitor in other circuits or application.

2) Leakage current of the capacitors that have been stored for more than 2 years may increase. When leakage current has increased, please perform a voltage treatment using a 1kΩ resistor.

3) Please confirm specifications and polarity before installing capacitors on the PC board.

4) Do not drop capacitors on the floor, nor use a capacitor that was dropped.

5) Do not deform the capacitor during installation.

6) Please pay attention to the mechanical shock to the capacitor by suction nozzle of the automatic insertion machine or automatic mounter, or by product checker, or by centering mechanism.

REFLOW SOLDERING

1) Please follow "Reflow Soldering Conditions" when use the part.

2) When an infrared heater is used, please pay attention to the extent of heating since the absorption rate of infrared will vary due to difference in the color and size of the capacitor.

3) Do not tilt lay down or twist the capacitor body after the capacitor are soldered to the PC board.

4) Do not carry the PC board by grasping the soldered capacitor.

5) Please do not allow anything to touch the capacitor after soldering. If PC boards are stored in stack, please make sure the PC board or other components away from the capacitor.

6) The capacitors shall not be effected by any radiated heat from the soldered PC board or other components after soldering.

7) Cleaning:

(a) Do not clean capacitors with halogenated cleaning agent. However, if it is necessary to clean with halogenated cleaning agent, please contact our sales team.

(b) Recommended cleaning method

Applicable : Any type, any ratings

Cleaning conditions: Total cleaning time shall be within 2 minutes by immersion, ultrasonic or other methods.

Temperature of the cleaning agents shall be 40°C or below. After cleaning, capacitors should be dried by using hot air for the minimum 10 minutes along with the PC board mounted. Hot air temperature should be within the maximum operating temperature of the capacitor. Insufficient dryness after water rinse may cause appearance problems, such as bottom-plate bulge and etc.;

Avoid using ozone destructive substances as cleaning agents for protecting global environment.

IN THE EQUIPMENT

1) Do not directly touch terminal by hand.

2) Do not link positive terminal and negative terminal by conductor, nor spill conductible liquid such as alkaline or acidic solution on or near the capacitor.

3) Please make sure that the ambient conditions where the set is installed are free from spilling water or oil, direct sunlight, ultraviolet rays, radiation, poisonous gases, vibration or mechanical shock.

MAINTENANCE AND INSPECTION

Please periodically inspect the aluminum capacitors that are installed in industrial equipment. The following items should be checked:

Appearance: remarkable abnormality such as pressure relief vent opening, electrolyte leaking, etc.

Electrical characteristics: capacitance, dielectric loss tangent, leakage current and etc., which are specified in catalogue or alternate product specification.

IN AN EMERGENCY

1) If you see smoke due to operation of safety vent, please turn off the main switch or pull out the plug from the outlet.

2) If you breathe the gas or ingest the electrolyte, please wash out your mouth and throat with water immediately.

3) If your skin is exposed to the electrolyte, please wash it away using soap and water.

STORAGE

1) Do not keep capacitor in high temperature and high humidity atmosphere. Storage conditions should be:

Temperature: 5°C~ 35°C Humidity : lower than 75% Place : Indoor

2) Avoid ambient conditions where capacitors are covered with water, brine or oil.

3) A storage products for longer than 12 months is not recommended. Within other effects, the terminals may suffer degradation, resulting in bad solderability. All products shall be used within the period of 12 months based on the day of shipment

DISPOSAL

Please take either of the following methods in disposing capacitors.

1) Incinerate them after crushing capacitors or making a hole on the capacitor body.

2) If incineration is not applicable, hand them over to a waste disposal agent and have them buried in landfills.

TAPE (Unit: mm), Applicable standard JIS C0806 and IEC 60286.

Fig. 1 (Ø4)




Fig. 2 (Ø5~Ø10)



| SIZE | W | P | F | A0 | B0 | t2 | Ød | P1 | P2 | t1 | W1 | APPLICABLE |
|----------|----|----|------|------|------|------|-----|----|----|-----|------|------------|
| Ø4*5.4 | 12 | 8 | 5.5 | 4.7 | 4.7 | 5.8 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.1 |
| Ø5*5.4 | 12 | 12 | 5.5 | 6.0 | 6.0 | 5.8 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |
| Ø6.3*5.4 | 16 | 12 | 7.5 | 7.0 | 7.0 | 5.8 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |
| Ø6.3*7.7 | 16 | 12 | 7.5 | 7.0 | 7.0 | 8.3 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |
| Ø8*6.5 | 16 | 12 | 7.5 | 8.7 | 8.7 | 6.8 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |
| Ø8*10.2 | 24 | 16 | 11.5 | 8.7 | 8.7 | 11.0 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |
| Ø10*10.2 | 24 | 16 | 11.5 | 10.7 | 10.7 | 11.0 | 1.5 | 2 | 4 | 0.4 | 1.75 | Fig.2 |

TAPE (Unit: mm), Applicable standard JIS C0806 and IEC 60286.

Fig. 3 (Ø12.5)



| SIZE | W | P | F | A | B | t2 | Ød | P1 | P2 | t1 | W1 | APPLICABLE |
|------------|----|----|------|------|------|------|-----|----|----|-----|------|------------|
| Ø12.5*13.5 | 32 | 24 | 14.2 | 13.4 | 13.4 | 14.5 | 1.5 | 2 | 4 | 0.5 | 1.75 | Fig.3 |

REEL (Unit: mm), Applicable standard JIS C0806 and IEC 60286.



| CASE SIZE | Ø4 | Ø5 | Ø6.3 | Ø8x6.5 | Ø8x10.2 | Ø10 | Ø12.5 |
|----------------|------|------|------|--------|---------|-----|-------|
| W (mm) | 14 | 14 | 18 | 18 | 26 | 26 | 34 |
| Qty/Reel (pcs) | 2000 | 1000 | 1000 | 500 | 500 | 500 | 200 |

PACKING METHOD

- Polarity: Anode on the opposite side of the feed hole
- The leader length of the tape shall not be less than 400mm including 10 or more embossed sections in which no parts are contained.
- The winding core is provided with an over 40mm long empty section



IMPORTANT NOTES AND DISCLAIMER

- **RoHS Compliance:** This product complies with the requirements of EU RoHS Directive (EU) 2015/863 (RoHS 3). The concentration levels of RoHS-restricted substances are below the maximum permitted threshold limits, or the substances are used in applications exempted under the directive. A RoHS Test Report for this product is available through the Download Center.
- **REACH Compliance:** Information regarding REACH Substances of Very High Concern (SVHCs) is available for this product. As the European Chemicals Agency (ECHA) may revise the SVHC list periodically, the latest REACH information and test reports can be obtained from the Download Center.
- **Product Performance:** All product parametric performance data is specified under the electrical characteristics and corresponding test conditions listed herein, unless otherwise noted. Product performance may differ if the device is operated outside the specified conditions.
- **Specifications and Changes:** NextGen Components, Inc. ("*NextGen*") reserves the right to make changes to this document, as well as to its products and specifications, at any time without prior notice. Customers are responsible for obtaining and verifying the most current product information prior to final design, purchase, or use.
- **Warranty and Limitation of Liability:** *NextGen* makes no warranty, representation, or guarantee regarding the suitability of its products for any particular purpose and assumes no liability for application assistance or customer product design. NextGen shall not be responsible for, nor accept liability arising from, the use of its products in unintended, unauthorized, or improper applications. No license, express or implied, is granted under any intellectual property rights of *NextGen*.
- **Restricted Applications:** *NextGen* products are not authorized for use as critical components in life-support devices or systems, or in other safety-critical applications, without express written approval from *NextGen*.
- **Returns Policy:** Customers must obtain a Returned Merchandise Authorization (RMA) number prior to returning any products. Returns must be requested within 30 days from the invoice date and must be in original packaging, unused, and in like-new condition. Products designated as Non-Cancelable / Non-Returnable (NCNR) at the time of quotation or purchase are not eligible for return or refund.